
NEPENTHES COMPLEX

(SMALL)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE NEP.PLX.S LAMP G4 12V LED 2.5W 2700K LUMENS 1200 LM VOLTAGE 12V DC WATTS 20 W WEIGHT Approx. 30.5 kg INCLUSIONS Power Supply Unit x 60W EXCLUSIONS USER Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris +20% PB Polished Brass +20% CP Copper +20% SN Satin Nickel +20% 24K 24K Gold +20% CANOPY C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface * Remote Power Supply † Integral Power Supply * Refer to canopy specification guide	Contact us for custom variations.	 5 Years Fixture 5 Years Power Supply Unit 3 Years LED
Fig 1. – Front view		Fig 2. – Side view	






180MM / 7"



NEPENTHES COMPLEX (MEDIUM)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
NEP.PLX.M LAMP G4 12V LED 2.5W 2700K LUMENS 1800 LM VOLTAGE 12V DC WATTS 30 W WEIGHT Approx. 45.5 kg INCLUSIONS Power Supply Unit x 60W EXCLUSIONS USER Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris +20% PB Polished Brass +20% CP Copper +20% SN Satin Nickel +20% 24K 24K Gold +20% CANOPY C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface * Remote Power Supply † Integral Power Supply * Integral Power Supply * Refer to canopy specification guide	Contact us for custom variations.	 5 Years Fixture 5 Years Power Supply Unit 3 Years LED
Fig 1. – Front view		Fig 2. – Side view	






980MM / 38.5"


NEPENTHES COMPLEX

(LARGE)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE NEP.PLX.L LAMP G4 12V LED 2.5W 2700K LUMENS 3900 LM VOLTAGE 12V DC WATTS 65 W WEIGHT Approx. 76 kg INCLUSIONS POWER Supply Unit x 100W EXCLUSIONS USER Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris +20% PB Polished Brass +20% CP Copper +20% SN Satin Nickel +20% 24K 24K Gold +20% CANOPY C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface C-280-SM† Chain 280 Surface * Remote Power Supply † Integral Power Supply * Integral Power Supply * Refer to canopy specification guide	variations.	5 Years Fixture 5 Years Power Supply Unit 3 Years LED
Fig 1. – Front view		Fig 2. – Side view	



3180MM / 125.1"



2660MM / 104.7"

