


CATALOGUE / AERIS

# ROSS GARDAM

SALES@TWENTIETH.NET

Inspired by the ethereal beauty of clouds, Aeris embodies softness and lightness through the repetition of sculptural forms, crafting an ethereal centerpiece. Each mouth blown glass cloud is paired with architecturally crafted brass bars that cross and lightly kiss together, evoking a sense of weightlessness—as if suspended in air.



The duality of the brass structural element defines each piece, with dual vertical drops playfully interacting with horizontal crossings, creating a unity to the entire fixture.

Available in four distinctive tones, each variation transforms the fixture's presence in a unique way: a soft white glow, the warmth of the morning sun, the subtle shimmer of a silver lining. Every cloud carries its own delicate texture, formed naturally in the glassblowing process, diffusing light into a gentle, ambient glow.





IMAGE /

LEFT & RIGHT - (AE214) BLACK GLASS / BRUSHED BLACKENED BRASS






IMAGE /

TOP LEFT / RIGHT - (AE214) FROSTED BLACK GLASS AND BRUSHED BLACKENED BRASS / (AE108) WHITE GLASS AND BRUSHED BRONZED BRASS  
BOTTOM LEFT / RIGHT - (AE108) CLEAR GLASS AND BRUSHED BLACKENED BRASS / (AE214) BLACK GLASS AND BRUSHED BRASS




IMAGE /

(AE214) CLEAR GLASS AND BRUSHED BRASS






AERIS LINEAR CHANDELIER



AE108  
L 980 W 460 H 350  
L 38.6" W 18.1" H 13.8"  
MIN DROP HEIGHT - H 600 / 23.6"



AE214  
L 1760 W 460 H 350  
L 69.3" W 18.1" H 13.8"  
MIN DROP HEIGHT - H 600 / 23.6"  
CEILING CANOPY SPACING L780MM / 30.7"






IMAGE /  
AE112 - WHITE GLASS / BRUSHED BRASS



IMAGE /  
LEFT / AE112 - BLACK GLASS / BRUSHED BLACKENED BRASS  
RIGHT / VAE112 - WHITE GLASS / BRUSHED BRASS






IMAGE /  
TOP LEFT / RIGHT - (AE104) BLACK GLASS AND BRUSHED BRASS / (AE112) FROSTED BLACK GLASS AND BRUSHED BRONZED BRASS  
BOTTOM LEFT / RIGHT - (AE112) WHITE GLASS AND BRUSHED BRASS / (AE104) WHITE GLASS AND BRUSHED BLACKENED BRASS








## AERIS CHANDELIER



AE104  
L 460 W 460 H 350  
L 18.1" W 18.1" H 13.8"  
MIN DROP HEIGHT - H 600 / 23.6"



AE112  
L 550 W 550 H 740  
L 21.7" W 21.7" H 29.1"  
MIN DROP HEIGHT - H 1,000 / 39.4"







IMAGE /

TOP LEFT / RIGHT - (AEP) BLACK GLASS AND BRUSHED BLACKENED BRASS / (AEP) CLEAR GLASS AND BRUSHED BRASS  
 MIDDLE LEFT / RIGHT - (AEP) WHITE GLASS AND BRUSHED BRONZED BRASS / (AEP) FROSTED BLACK GLASS AND BRUSHED BRASS





## AERIS<sup>P</sup> PENDANT



L 245 W 245 H 155  
L 9.6" W 9.6" H 6.1"  
MIN DROP HEIGHT - H 400 / 15.7"



IMAGE /

LEFT / RIGHT - (AEW) BLACK GLASS AND BRUSHED BLACKENED BRASS / (AEP) WHITE GLASS AND BRUSHED BRASS







IMAGE /  
AEW - BLACK BLACK / BRUSHED BRONZED BRASS



IMAGE /  
TOP LEFT / RIGHT - (AEW) BLACK GLASS AND BRUSHED BRASS / (AEW) CLEAR GLASS AND BRUSHED BRASS  
MIDDLE LEFT / RIGHT - (AEW) WHITE GLASS AND BRUSHED BRONZED BRASS / (AEW) FROSTED BLACK GLASS AND BRUSHED BLACKENED BRASS

## AERIS WALL LIGHT



AEW  
Ø 245 D 155  
Ø 9.6" D 6.1"





IMAGE /


TOP LEFT / RIGHT - (AEL) CLEAR GLASS AND BRUSHED BRASS / (AEL) WHITE GLASS AND BRUSHED BRONZED BRASS  
 BOTTOM LEFT / RIGHT - (AEL) FROSTED BLACK GLASS AND BRUSHED BLACKENED BRASS / (AEL) BLACK GLASS AND BRUSHED BRASS







## AERIS TABLE LIGHT



AEL  
Ø 245 H 170  
Ø 9.7" H 6.7"




TECHNICALAERIS

AVAILABLE FINISHES

GLASS



BODY



|                  |                                                                                                                                   |                                                                                                                             |                   |                                                                                                     |                                                                                                 |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| MATERIAL         | TREATED BRASS, GLASS                                                                                                              |                                                                                                                             | PRODUCT CODES SKU | EG. AE112.G-BLK.BR-BRZ<br>AERIS 112 CHANDELIER IN BLACK GLASS WITH<br>A BRUSHED BRONZED BRASS FRAME |                                                                                                 |
| FINISH           | ALL BRASS FRAMES ARE BRUSHED AND TREATED TO<br>ACHIEVE THE AVAILABLE FINISH OPTIONS, THEN SEALED<br>TO PREVENT ACCELERATED AGING. |                                                                                                                             |                   |                                                                                                     |                                                                                                 |
| LAMPING          | AEL                                                                                                                               | 230V - 4W AC LED MODULE.<br>3000K WARM WHITE, DIMMABLE.                                                                     | AEL               | AEL.G-XXX.BR-XXX                                                                                    | AERIS TABLE LAMP                                                                                |
|                  |                                                                                                                                   |                                                                                                                             | AEW               | AEW.G-XXX.BR-XXX                                                                                    | AERIS WALL LIGHT                                                                                |
|                  |                                                                                                                                   |                                                                                                                             | AEP               | AEP.G-XXX.BR-XXX                                                                                    | AERIS PENDANT                                                                                   |
|                  |                                                                                                                                   |                                                                                                                             | AE104             | AE104.G-XXX.BR-XXX                                                                                  | AERIS 104 CHANDELIER                                                                            |
|                  |                                                                                                                                   | 120V - 4W AC LED MODULE.<br>3000K WARM WHITE, DIMMABLE.                                                                     | AE112             | AE112.G-XXX.BR-XXX                                                                                  | AERIS 112 CHANDELIER                                                                            |
|                  |                                                                                                                                   |                                                                                                                             | AE108             | AE108.G-XXX.BR-XXX                                                                                  | AERIS 112 LINEAR CHANDELIER                                                                     |
|                  |                                                                                                                                   |                                                                                                                             | AE214             | AE214.G-XXX.BR-XXX                                                                                  | AERIS 214 LINEAR CHANDELIER                                                                     |
|                  | AEW                                                                                                                               | SELV 60V (WITH EXTERNAL DRIVER)<br>3.7W, 2700K                                                                              | FINISHES          | GLASS                                                                                               | BLACK (G-BLK)<br>CLEAR (G-CLR)<br>WHITE (G-WHT)<br>FROSTED BLACK (G-FBL)                        |
|                  | AEP                                                                                                                               | SELV 60V (EXTERNAL DRIVER SUPPLIED)<br>8W, 2700K                                                                            |                   | FRAME                                                                                               | BRUSHED BRASS (BR-NAT)<br>BRUSHED BLACKENED BRASS (BR-BLK)<br>BRUSHED BRONZED BRASS (BR-BRZ)    |
|                  | AEC                                                                                                                               | SELV 60V (EXTERNAL DRIVER SUPPLIED)<br>AE104 10.8W, 2700K<br>AE112 32.4W, 2700K<br>AE108 21.6W, 2700K<br>AE214 32.2W, 2700K | LED LIFESPAN      | 50,000 HRS                                                                                          |                                                                                                 |
|                  |                                                                                                                                   | LUMEN OUTPUT PER SHADE<br>CLEAR - 440LM<br>WHITE - 430LM<br>FROSTED BLACK - 130LM<br>BLACK - 230LM                          | IP RATING         | IP20 - FOR INDOOR USE ONLY                                                                          |                                                                                                 |
|                  |                                                                                                                                   | WATTAGE AND LUMEN OUTPUT WILL VARY SLIGHTLY<br>DEPENDING ON CONSTANT CURRENT OUTPUT.                                        | CERTIFICATION     | AU/NZ                                                                                               | AS/NZS 60598.1, 60598.2.1 / AS/NZS 60598.4, 60598.2.4                                           |
|                  |                                                                                                                                   |                                                                                                                             |                   | EU                                                                                                  | EN 60598.1, 60598.2.1 / EN 60598.4, 60598.2.4                                                   |
|                  |                                                                                                                                   |                                                                                                                             |                   | US/CAN                                                                                              | UL1598, CSA C22.2#250.0 (EXCLUDING AERIS TABLE<br>LAMP - ETL/UL TESTING AVAILABLE UPON REQUEST) |
|                  |                                                                                                                                   |                                                                                                                             | CANOPY            | VARIOUS - SEE CANOPY OPTIONS ON SPECIFICATION PAGE                                                  |                                                                                                 |
| 220-240V REGIONS | DIMMING OPTIONS<br>· PHASE - DIMMING RANGE 5 - 100%<br>· DALI - DIMMING RANGE 1 - 100%                                            |                                                                                                                             | WEIGHT            | AEL                                                                                                 | 3KG / 6.6LB                                                                                     |
|                  |                                                                                                                                   |                                                                                                                             |                   | AEW                                                                                                 | 3KG / 6.6LB                                                                                     |
|                  |                                                                                                                                   |                                                                                                                             |                   | AEP                                                                                                 | 4KG / 8.8LB                                                                                     |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE104                                                                                               | 12KG / 26.5LB                                                                                   |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE112                                                                                               | 32KG / 70.5LB                                                                                   |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE108                                                                                               | 24KG / 53LB                                                                                     |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE214                                                                                               | 44KG / 97LB                                                                                     |
| 110-120V REGIONS | DIMMING OPTIONS<br>· PHASE - DIMMING RANGE 3 - 100%<br>· DALI - DIMMING RANGE 0.1 - 100%                                          |                                                                                                                             | PACKAGING         | AEL                                                                                                 | 1 X L 320 W 320 H 300 / L 12.6" W 12.6" H 11.8"                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AEW                                                                                                 | 1 X L 320 W 320 H 300 / L 12.6" W 12.6" H 11.8"                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AEP                                                                                                 | 1 X L 620 W 320 H 320 / L 24.4" W 12.6" H 12.6"                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE104                                                                                               | 1 X L 620 W 620 H 320 / L 24.4" W 24.4" H 12.6"                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE112                                                                                               | 1 X L 1220 W 620 H 420 / L 48" W 24.4" H 16.5"                                                  |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE108                                                                                               | 1 X L 920 W 620 H 420 / L 36" W 24.4" H 16.5"                                                   |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE214                                                                                               | 1 X L 1520 W 620 H 420 / L 60" W 24.4" H 16.5"                                                  |
|                  | ALL US AND CANADIAN ORDERS COME SUPPLIED WITH<br>120V COMPONENTRY CERTIFIED FOR USE IN THESE<br>REGIONS.                          |                                                                                                                             | PACKAGING WEIGHT  | AEL                                                                                                 | 1 X 3.5KG / 7.7LB                                                                               |
|                  | FOR OPTIMAL DIMMING PERFORMANCE WE<br>RECOMMEND SOURCING A DIMMER CAPABLE OF<br>SETTING THE DIMMING RANGE OF THE FIXTURE.         |                                                                                                                             |                   | AEW                                                                                                 | 1 X 3.5KG / 7.7LB                                                                               |
|                  |                                                                                                                                   |                                                                                                                             |                   | AEP                                                                                                 | 1 X 5KG / 11LB                                                                                  |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE104                                                                                               | 1 X 14KG / 31LB                                                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE112                                                                                               | 1 X 35KG / 77LB                                                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE108                                                                                               | 1 X 27KG / 60LB                                                                                 |
|                  |                                                                                                                                   |                                                                                                                             |                   | AE214                                                                                               | 1 X 48KG / 106LB                                                                                |



ROSS GARDAM