

# BCAA X

## (VERTICAL)

A brave new world of forms inspired by Branch Chain Amino Acid, the primordial building blocks of life. From these base compounds, anything is possible.

BCAA combines a modular brass framework and sandblasted borosilicate glass in either tubular or globular form. Endlessly connective, BCAA can be produced in ever branching dimensions.

BCAA X 7 V finished in Aged Brass.






# BCAA X

(5V)

twentieth  
www.twentieth.net  
sales@twentieth.net  
323.904.1200

| SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                    | OPTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ADDITIONAL INFORMATION                                                                                                                                                                                                                                                                                                                          | WARRANTY                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <p>ORDERING CODE</p> <p>BCX.5.V.FTT</p> <p>LAMP</p> <p>G9 110V LED 3.2W 2700K*</p> <p>G9 240V LED 3.2W 2700K*</p> <p>* Dimmable</p> <p>LUMENS</p> <p>1350 LM</p> <p>VOLTAGE</p> <p>110 / 240 V</p> <p>WATTS</p> <p>16 W</p> <p>WEIGHT</p> <p>Approx. 2.7kg</p> <p>(not including canopy)</p> <p>EXCLUSIONS</p> <p>User Interface, Dimmer Unit</p> | <p>FINISHES</p> <p>AB Aged Brass</p> <p>HRB Hand Rubbed Brass</p> <p>DB Dark Bronze</p> <p>MP Mottled Patina</p> <p>VER Verdigris</p> <p>PCB Powder Coat Matte Black</p> <p>PCW Powder Coat Matte White</p> <p>PB Polished Brass</p> <p>CP Copper</p> <p>CR Chrome</p> <p>SN Satin Nickel</p> <p>24K 24K Gold</p> <p>SUSPENSION</p> <p>Vertical Rod</p> <p>Contact us for alternatives</p> <p>CANOPY</p> <p>R-80-FM Round 80 Flush</p> <p>R-125-FM Round 125 Flush</p> <p>R-125-SM Round 125 Surface</p> <p>Refer to canopy specification guide</p> | <ul style="list-style-type: none"><li>• BCAA is a solid fixture that will require very little maintenance over the years. If your BCAA is treated with care, it will shine brightly for many years to come.</li><li>• Contact us for custom variations.</li><li>• Installation should only be undertaken by a qualified professional.</li></ul> | <ul style="list-style-type: none"><li>• 5 Years Fixture</li><li>• 2 Years Lamping</li></ul> |
| Fig 1. – Front view                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Fig 2. – Side view                                                                                                                                                                                                                                                                                                                              |                                                                                             |





# BCAA X

(7V)

twentieth  
www.twentieth.net  
sales@twentieth.net  
323.904.1200

| SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | OPTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ADDITIONAL INFORMATION                                                                                                                                                                                                                                                                                                                          | WARRANTY                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <p>ORDERING CODE</p> <p>BCX.7.V.FTT</p> <p>LAMP</p> <p>G9 110V LED 3.2W 2700K*</p> <p>G9 240V LED 3.2W 2700K*</p> <p>* Dimmable</p> <p>LUMENS</p> <p>1890 LM</p> <p>VOLTAGE</p> <p>110 / 240 V</p> <p>WATTS</p> <p>22.4 W</p> <p>WEIGHT</p> <p>Approx. 3.5kg</p> <p>(not including canopy)</p> <p>EXCLUSIONS</p> <p>User Interface, Dimmer Unit</p> <p>   </p> | <p>FINISHES</p> <p>AB Aged Brass</p> <p>HRB Hand Rubbed Brass</p> <p>DB Dark Bronze</p> <p>MP Mottled Patina</p> <p>VER Verdigris</p> <p>PCB Powder Coat Matte Black</p> <p>PCW Powder Coat Matte White</p> <p>PB Polished Brass</p> <p>CP Copper</p> <p>CR Chrome</p> <p>SN Satin Nickel</p> <p>24K 24K Gold</p> <p>SUSPENSION</p> <p>Vertical Rod</p> <p>Contact us for alternatives</p> <p>CANOPY</p> <p>R-80-FM Round 80 Flush</p> <p>R-125-FM Round 125 Flush</p> <p>R-125-SM Round 125 Surface</p> <p>Refer to canopy specification guide</p> | <ul style="list-style-type: none"><li>• BCAA is a solid fixture that will require very little maintenance over the years. If your BCAA is treated with care, it will shine brightly for many years to come.</li><li>• Contact us for custom variations.</li><li>• Installation should only be undertaken by a qualified professional.</li></ul> | <ul style="list-style-type: none"><li>• 5 Years Fixture</li><li>• 2 Years Lamping</li></ul> |
| Fig 1. – Front view                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Fig 2. – Side view                                                                                                                                                                                                                                                                                                                              |                                                                                             |





# BCAA X

(9V)

twentieth  
www.twentieth.net  
sales@twentieth.net  
323.904.1200


| SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | OPTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ADDITIONAL INFORMATION                                                                                                                                                                                                                                                                                                                    | WARRANTY                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <p>ORDERING CODE</p> <p>BCX.9.V.FTT</p> <p>LAMP</p> <p>G9 110V LED 3.2W 2700K*</p> <p>G9 240V LED 3.2W 2700K*</p> <p>* Dimmable</p> <p>LUMENS</p> <p>2430 LM</p> <p>VOLTAGE</p> <p>110 / 240 V</p> <p>WATTS</p> <p>28.8 W</p> <p>WEIGHT</p> <p>Approx. 4kg</p> <p>(not including canopy)</p> <p>EXCLUSIONS</p> <p>User Interface, Dimmer Unit</p> <div><div></div><div></div><div></div><div></div></div> | <p>FINISHES</p> <p>AB Aged Brass</p> <p>HRB Hand Rubbed Brass</p> <p>DB Dark Bronze</p> <p>MP Mottled Patina</p> <p>VER Verdigris</p> <p>PCB Powder Coat Matte Black</p> <p>PCW Powder Coat Matte White</p> <p>PB Polished Brass</p> <p>CP Copper</p> <p>CR Chrome</p> <p>SN Satin Nickel</p> <p>24K 24K Gold</p> <p>SUSPENSION</p> <p>Vertical Rod</p> <p>Contact us for alternatives</p> <p>CANOPY</p> <p>R-80-FM Round 80 Flush</p> <p>R-125-FM Round 125 Flush</p> <p>R-125-SM Round 125 Surface</p> <p>Refer to canopy specification guide</p> | <ul style="list-style-type: none"><li>BCAA is a solid fixture that will require very little maintenance over the years. If your BCAA is treated with care, it will shine brightly for many years to come.</li><li>Contact us for custom variations.</li><li>Installation should only be undertaken by a qualified professional.</li></ul> | <ul style="list-style-type: none"><li>5 Years Fixture</li><li>2 Years Lamping</li></ul> |
| Fig 1. – Front view                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Fig 2. – Side view                                                                                                                                                                                                                                                                                                                        |                                                                                         |



# BCAA X

(11V)

twentieth  
www.twentieth.net  
sales@twentieth.net  
323.904.1200

| SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                          | OPTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ADDITIONAL INFORMATION                                                                                                                                                                                                                                                                                                                        | WARRANTY                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <p><b>ORDERING CODE</b><br/>BCX.11.V.FTT</p> <p><b>LAMP</b><br/>G9 110V LED 3.2W 2700K*<br/>G9 240V LED 3.2W 2700K*<br/>* Dimmable</p> <p><b>LUMENS</b><br/>2970 LM</p> <p><b>VOLTAGE</b><br/>110 / 240 V</p> <p><b>WATTS</b><br/>35.2 W</p> <p><b>WEIGHT</b><br/>Approx. 5.5kg<br/>(not including canopy)</p> <p><b>EXCLUSIONS</b><br/>User Interface, Dimmer Unit</p> | <p><b>FINISHES</b><br/>AB Aged Brass<br/>HRB Hand Rubbed Brass<br/>DB Dark Bronze<br/>MP Mottled Patina<br/>VER Verdigris<br/>PCB Powder Coat Matte Black<br/>PCW Powder Coat Matte White<br/>PB Polished Brass<br/>CP Copper<br/>CR Chrome<br/>SN Satin Nickel<br/>24K 24K Gold</p> <p><b>SUSPENSION</b><br/>Vertical Rod<br/>Contact us for alternatives</p> <p><b>CANOPY</b><br/>R-80-FM Round 80 Flush<br/>R-125-FM Round 125 Flush<br/>R-125-SM Round 125 Surface<br/>Refer to canopy specification guide</p> | <ul style="list-style-type: none"> <li>BCAA is a solid fixture that will require very little maintenance over the years. If your BCAA is treated with care, it will shine brightly for many years to come.</li> <li>Contact us for custom variations.</li> <li>Installation should only be undertaken by a qualified professional.</li> </ul> | <ul style="list-style-type: none"> <li>5 Years Fixture</li> <li>2 Years Lamping</li> </ul> |
|                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                               |                                                                                            |
| Fig 1. – Front view                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Fig 2. – Side view                                                                                                                                                                                                                                                                                                                            |                                                                                            |

