
Roll & Hill

twentieth
www.twentieth.net
sales@twentieth.net
323.904.1200



Roll & Hill — Pendant 01 - Wood

Series
Humboldt

Product
Pendant 01 - Wood

Dimensions
Ø8.5in/Ø21.6 cm x H 3.9in/9.9cm

Weight
4.8lb/2.2kg
**Product weights may vary by wood material*

Materials
Brass, Glass, Wood

Finishes/Colors
White Oak, Vintage Oak,
Black Walnut, Ebonized Oak

Glass Color
Opal

Cord Color
Latte

Suspension
144in/366cm cord length included.
Cord length can be adjusted on site.
Custom length available
for additional cost.

Canopy
5.5-inch round in matching finish.

Ceiling Slope
0°- 45° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications
UL, cUL (120V)
CE (240V)

120/277V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est.
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 120V - TRIAC, ELV, 0-10V
277V - 0-10V only


240V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 0-10V
(DALI dimming available upon request)

Driver location
Driver located in canopy

Fixture Mounting
Designed to be mounted on standard 4in. Electrical Box.
Two #8-32 screws included.
Additional mounting hardware provided for 240V versions.

Roll & Hill

twentieth
www.twentieth.net
sales@twentieth.net
323.904.1200



Roll & Hill — Pendant 01-12 - Wood

Series
Humboldt

Product
Pendant 01-12 - Wood

Dimensions
Dia 12in/30.5cm x H 5.4in/13.6cm

Weight
TBD
**Product weights may vary by wood material*

Materials
Brass, Glass, Wood

Finishes/Colors
White Oak, Vintage Oak,
Black Walnut, Ebonized Oak

Glass Color
Opal

Cord Color
Latte

Suspension
144in/366cm cord length included.
Cord length can be adjusted on site.
Custom length available
for additional cost.

Canopy
5.5-inch round in matching finish.

Ceiling Slope
0°- 45° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications
UL, cUL (120V)
CE (240V)

120/277V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est.
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 120V - TRIAC, ELV, 0-10V
277V - 0-10V only


240V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 0-10V
(DALI dimming available upon request)


Driver location
Driver located in canopy

Fixture Mounting
Designed to be mounted on standard 4in. Electrical Box.
Two #8-32 screws included.
Additional mounting hardware provided for 240V versions.

Roll & Hill

twentieth
www.twentieth.net
sales@twentieth.net
323.904.1200





Roll & Hill — Pendant 01-16 - Wood

Series
Humboldt

Product
Pendant 01-16 - Wood

Dimensions
Dia 16in/40.6cm x H 7.2in/18.3cm

Weight
TBD
**Product weights may vary by wood material*

Materials
Brass, Glass, Wood

Finishes/Colors
White Oak, Vintage Oak,
Black Walnut, Ebonized Oak

Glass Color
Opal

Cord Color
Latte

Suspension
144in/366cm cord length included.
Cord length can be adjusted on site.
Custom length available
for additional cost.

Canopy
5.5-inch round in matching finish.

Ceiling Slope
0°- 45° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications
UL, cUL (120V)
CE (240V)

120/277V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est.
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 120V - TRIAC, ELV, 0-10V
277V - 0-10V only

240V Illumination
Integrated LED
Wattage: 8W
Lumens: 400 Lumens est
Color Temperature: 2700K, 90+ CRI
LED Lifetime: 50,000 Hours est.
Dimming: 0-10V
(DALI dimming available upon request)

Driver location
Driver located in canopy

Fixture Mounting
Designed to be mounted on standard 4in. Electrical Box.
Two #8-32 screws included.
Additional mounting hardware provided for 240V versions.